

Notice of Allowability

Application No.

10/734,346

Examiner

Alexander Grosz

Applicant(s)

NYGREN ET AL.

Art Unit

3673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to IDS DATED 3/11/04
2. ☒ The allowed claim(s) is/are 1-33
3. ☒ The drawings filed on 12/12/03 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 3/11/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 05/25/04
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Alexander Grosz
Primary Examiner
Art Unit: 3673

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Rezek on 5/24/04.

On page 1, delete lines 6-11, and substitute therefor:

Cross-reference is made to co-pending U.S. Patent Application No. 10/735,356 titled "Bed Rail" and U.S. Patent Application No. 10/734,392 entitled "Bed Rail With Clamping Force Indicator" each of which is assigned to the same assignee as the present application, is filed concurrently herewith, and is hereby incorporated by reference herein.

On page 4, delete lines 27-29, and substitute therefor:

10/735,356 entitled "Bed Rail" and U.S. Patent Application No. 10/734,392 entitled "Bed Rail with Clamping Force Indicator" both filed on 12/12/03.

The following is an examiner's statement of reasons for allowance: The crowded prior art of record related to bedrails, fails to teach or suggest the use of a clamp that has a base adapted to be positioned under a mattress, and a side rail, connected to the clamp, and adapted to fold down, as set forth in claims 1, 10, and 31. Alexander teaches a clamp, but not a "folddown" siderail.


Art Unit: 3673

While pivotable side rails well known in the prior art (e.g. Cosme), there is no teaching or suggestion for the very specific pivotable structure of claim 23, and especially for the leg and socket combination, which permits the removal of the leg from the socket, as set forth in the last two lines of claim 23.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Alexander Grosz at telephone number (703) 308-2498.

Grosz/vs
May 27, 2004


ALEXANDER GROSZ
PRIMARY EXAMINER